




Stainless Steel Stone Extractors



Stainless Steel Stone Extractors

The 2.8 and 3.2 French Captura and Atlas Wire Stone Extractors feature a reinforced tip on 2.5 and 3.0 French sheaths. This configuration combines strength at the tip for multiple basket deployments with optimal fluid flow through the working channel of the scope.



Atlas Wire™ STONE EXTRACTOR

The Atlas Wire basket permits the stone to slide into the basket with ease. Atlas Wire Stone Extractors feature a 4-wire construction for maximum stone retention in a flat-wire design.


Global Product Number	Order Number	Sheath Tip French Size	Sheath French Size	Length cm	Basket	Tip Length cm
Occlusive						
G32734	AE-417115	1.7	1.7	115	4-wire	
G32788	AE-428115	2.8	2.5	115	4-wire	
G32824	AE-432115	3.2	3.0	115	4-wire	
G32739	AE-445065	4.5	4.5	65	4-wire	
Filiform						
G32735	AEF-417115	1.7	1.7	115	4-wire	5
G32737	AEF-428115	2.8	2.5	115	4-wire	5
G32730	AEF-432115	3.2	3.0	115	4-wire	5
G32740	AEF-445065	4.5	4.5	65	4-wire	5



Captura[®]

STONE EXTRACTOR

Captura's helical design wraps around and effectively captures the stone. The helical design facilitates the retention of the stone in the basket as it is manipulated down the ureter. The Captura is available in 3-, 4-, 5- and 6-wire configurations.



3-wire


Global Product Number	Order Number	Sheath Tip French Size	Sheath French Size	Length cm	Basket	Tip Length cm
-----------------------	--------------	------------------------	--------------------	-----------	--------	---------------

Occlusive


G32779	CE-317115	1.7	1.7	115	3-wire	
G32757	CE-328115	2.8	2.5	115	3-wire	
G32733	CE-332115	3.2	3.0	115	3-wire	
G32726	CE-345065	4.5	4.5	65	3-wire	
G32756	CE-428115	2.8	2.5	115	4-wire	
G32727	CE-432115	3.2	3.0	115	4-wire	
G32746	CE-445065	4.5	4.5	65	4-wire	
G32749	CE-532115	3.2	3.0	115	5-wire	
G32780	CE-545065	4.5	4.5	65	5-wire	
G32781	CE-645065	4.5	4.5	65	6-wire	

Filiform


G32782	CEF-317115	1.7	1.7	115	3-wire	5
G32783	CEF-328115	2.8	2.5	115	3-wire	5
G32784	CEF-332115	3.2	3.0	115	3-wire	5
G32785	CEF-345065	4.5	4.5	65	3-wire	5
G32751	CEF-428115	2.8	2.5	115	4-wire	5
G32750	CEF-432115	3.2	3.0	115	4-wire	5
G32786	CEF-445065	4.5	4.5	65	4-wire	5
G32787	CEF-532115	3.2	3.0	115	5-wire	5
G32742	CEF-545065	4.5	4.5	65	5-wire	5
G32743	CEF-645065	4.5	4.5	65	6-wire	5



4-wire



5-wire



6-wire



www.cookmedical.com

COOK MEDICAL INCORPORATED

P.O. Box 4195, Bloomington, IN 47402-4195 USA

Phone: 812.339.2235, Toll Free: 800.457.4500, Toll Free Fax: 800.554.8335

COOK IRELAND LTD.

O'Halloran Road, National Technology Park,

Limerick, IRELAND, Phone: 353 61 334440, Fax: 353 61 334441

COOK (CANADA) INC.

111 Sandiford Drive, Stouffville, Ontario, L4A 7X5 CANADA

Phone: 905.640.7110, Toll Free: 800.668.0300, Fax: 905.640.6804

WILLIAM A. COOK AUSTRALIA PTY. LTD.

Brisbane Technology Park, 12 Electronics Street, Eight Mile Plains,

Brisbane, QLD 4113 AUSTRALIA, Phone: 61 7 3841 1188

© COOK 2008

URO-BM-CAPB-EN-200805

AORTIC INTERVENTION

CARDIOLOGY

CRITICAL CARE

ENDOSCOPY

PERIPHERAL INTERVENTION

SURGERY

UROLOGY

WOMEN'S HEALTH